L Number	Hits	Search Text	DB	Time stamp
-	1	(seo near2 kwang-hun).in.	USPAT;	2004/05/12 15:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- '	112708	(samsung and electronics).as.	USPAT;	2004/05/12 15:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	((samsung and electronics).as.) and (wet adj clean adj station)	USPAT;	2004/05/12 15:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	00	((IBM_TDB	0004/05/40 45 00
-	23	((samsung and electronics).as.) and (fixing adj guide)	USPAT;	2004/05/12 15:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(/	IBM_TDB	0004/05/40 45 04
-	4	((samsung and electronics).as.) and ((fixing adj guide) with	USPAT;	2004/05/12 15:34
		sensor)	US-PGPUB;	
			EPO; JPO;	}
			DERWENT;	
	4	(IBM_TDB	2004/05/40 45:50
-	1	(wet adj clean adj (bath or station)) with (optical adj fiber) with	USPAT;	2004/05/12 15:50
		sensor	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	128	((bath or station)) with (optical adj fiber) with sensor	IBM_TDB USPAT;	2004/05/12 15:50
-	120	((bath of station)) with (optical adjuber) with sensor	US-PGPUB;	2004/03/12 15.50
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
_	33	(((bath or station)) with (optical adj fiber) with sensor) and	USPAT;	2004/05/12 15:58
	33	(semiconductor or wafer or substrate)	US-PGPUB;	2004/03/12 13:30
		(defined had on a water of babblicate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- 8	2	(((bath or station)) with (optical adj fiber) with sensor) and	USPAT;	2004/05/12 16:05
		((discharg\$3 or vent\$3 or remov\$3) with (dew or condensation	US-PGPUB;	
		or vapor or moisture))	EPO; JPO;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DERWENT;	
			IBM_TDB	
-	3147	optical adj fiber adj sensor	USPAT;	2004/05/12 15:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	203	(optical adj fiber adj sensor) and (sensor with above) and	USPAT;	2004/05/12 15:57
		(sensor with below)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	•	// e t e e	IBM_TDB	
-	92	((optical adj fiber adj sensor) and (sensor with above) and	USPAT;	2004/05/12 15:58
		(sensor with below)) and (semiconductor or wafer or substrate)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	64	(((optical adj fiber adj sensor) and (sensor with above) and	USPAT;	2004/05/12 15:59
		(sensor with below)) and (semiconductor or wafer or	US-PGPUB;	
		substrate)) and ((sens\$3 or detect\$3) with (semiconductor or	EPO; JPO;	
		wafer or substrate))	DERWENT;	
			IBM_TDB	

-	4857	(sens\$3 or detect\$3) with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or vapor or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:09
. –	2750	((sens\$3 or detect\$3) with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or vapor or moisture))) and ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) near2 (dew or condensation or vapor or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:07
_	31	(((sens\$3 or detect\$3) with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or vapor or moisture))) and ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) near2 (dew or condensation or vapor or moisture))) and 134/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:07
-	23	(((sens\$3 or detect\$3) with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or vapor or moisture))) and ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) near2 (dew or condensation or vapor or moisture))) and ((sens\$3 or detect\$3) adj (housing or unit)) with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or vapor or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:57
-	16	(optical adj fiber adj sensor) and ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:59
-	1122	sensor with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:59
-	62	sensor with housing with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:00
-	6	(sensor with housing with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or moisture))) and (sensor with optical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:00
_	0	(optical adj fiber) with (sensor or detector) with housing with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 12:01
-	68	(sensor or detector) with housing with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:02
-	1	((sensor or detector) with housing with ((discharg\$3 or vent\$3 or remov\$3 or purg\$3) with (dew or condensation or moisture))) and (optical adj fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 12:03
	15	(purg\$3 with condensat\$3) and (optical adj fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:05
<u>-</u>	0	(purg\$3 with condensat\$3) and (optical adj fiber adj sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:05

-	3	(purg\$3 with (moisture or condensat\$3)) and (optical adj fiber adj sensor)	USPAT; US-PGPUB; EPO; JPO;	2004/05/13 12:08
İ			DERWENT;	
			IBM TDB	
-	988	(purg\$3 with remov\$3 with (moisture or condensat\$3))	USPĀT;	2004/05/13 12:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	0	((purg\$3 with remov\$3 with (moisture or condensat\$3))) and	USPAT:	2004/05/13 12:09
		(optical adj fiber adj sensor)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	3147	optical adj fiber adj sensor	IBM_TDB USPAT;	2004/05/13 12:09
_	3147	optical adj libel adj sellsol	US-PGPUB;	2004/05/13 12:09
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	4	(optical adj fiber adj sensor) with (purg\$3 or vent\$3)	USPAT;	2004/05/13 12:11
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	598	134/113.ccls.	USPAT;	2004/05/13 12:11
			US-PGPUB;	
	ļ		EPO; JPO;	
			DERWENT;	
_	6	134/113.ccls. and ((purg\$3 or vent\$3 or discharg\$3) with	IBM_TDB USPAT;	2004/05/13 15:39
		(moisture or condensat\$3))	US-PGPUB;	2004/03/13 13.39
		. "	EPO; JPO;	
			DERWENT;	
	2	(ontical adj concerned; (writer be writer)) and ((www.fig. ad	IBM_TDB	0004/05/40 40 44
-	2	(optical adj sensor adj (unit or housing)) and ((purg\$3 or vent\$3 or discharg\$3) with (moisture or condensat\$3))	USPAT; US-PGPUB;	2004/05/13 12:14
		ventuo or dischargus) with (moisture or condensatus))	EPO; JPO;	
			DERWENT;	
}			IBM_TDB	
-	1	(optical adj sensor adj (unit or housing)) and 134/\$.ccls.	USPAT;	2004/05/13 12:15
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	5	(optical adj fiber adj sensor) and 134/\$.ccls.	USPAT;	2004/05/13 12:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	20	(optical adj fiber adj sensor) with (station or bath)	USPAT;	2004/05/13 12:19
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2	(optical adj fiber adj sensor) and (wet adj clean adj (station or	IBM_TDB USPAT;	2004/05/42 42:00
		bath))	US-PGPUB;	2004/05/13 13:00
		"	EPO; JPO;	
			DERWENT;	
		(antical additional and (and additional addi	IBM_TDB	
-	2	(optical adj sensor) and (wet adj clean adj (station or bath))	USPAT;	2004/05/13 13:00
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	4	(optical adj2 sensor) and (wet adj clean adj (station or bath))	USPAT; US-PGPUB;	2004/05/13 13:01
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	546	(optical adj sensor adj (unit or housing))	USPAT;	2004/05/13 13:28
			US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
-	20	((optical adj sensor adj (unit or housing))) and (moisture or	USPAT;	2004/05/13 13:36
		condensat\$3 or dew)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	290	134/104.1.ccls.	USPAT;	2004/05/13 13:37
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-*	2	134/104.1.ccls. and (purg\$3 with (moisture or dew or	USPAT;	2004/05/13 13:42
		condensat\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	134/104.1.ccls. and ((purg\$3 or vent\$3 or discharg\$3) with	USPAT;	2004/05/13 15:09
		(moisture or dew or condensat\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
	200	424/4044	IBM_TDB	000.405440.4440
-	29	134/104.1.ccls. and ((moisture or dew or condensat\$3))	USPAT; US-PGPUB;	2004/05/13 14:10
			EPO; JPO;	
			DERWENT;	
_	46	134/104.1.ccls. and (sens\$3 or detect\$3) and (bath or station	IBM_TDB USPAT;	2004/05/13 14:14
	"	or vessel or tank)	US-PGPUB;	2004/03/13 14.14
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	21	(134/104.1.ccls. and (sens\$3 or detect\$3) and (bath or station	USPAT;	2004/05/13 13:48
		or vessel or tank)) and (gas or nitrogen or N2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	78446	422/\$.ccls.	USPAT;	2004/05/13 13:52
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	279	422/\$.ccls. and (optical adj2 sensor) and ((gas or nitrogen)	USPAT;	2004/05/13 14:04
		with (flow\$3 or purg\$3 or discharg\$3 or vent\$3))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	78	(422/\$.ccls. and (optical adj2 sensor) and ((gas or nitrogen) with (flow\$3 or purg\$3 or discharg\$3 or vent\$3))) and	USPAT;	2004/05/13 14:03
		(moisture or condensat\$3 or dew)	US-PGPUB; EPO; JPO;	
			DERWENT;	
	3655	(semiconductor or water or substrate) with (4:11:0	IBM_TDB	2004/05/40 4 4 3 =
-	3000	(semiconductor or wafer or substrate) with (optical adj2 sensor)	USPAT; US-PGPUB;	2004/05/13 14:05
			EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

_	398	((semiconductor or wafer or substrate) with (optical adj2 sensor)) and ((gas or nitrogen) with (flow\$3 or purg\$3 or discharg\$3 or vent\$3))	USPAT; US-PGPUB; EPO; JPO;	2004/05/13 14:06
			DERWENT;	
	59	(semiconductor or wafer or substrate) with (tank or vessel or	IBM_TDB USPAT;	2004/05/42 44:05
_	39	bath or station) with (optical adj2 sensor)	US-PGPUB;	2004/05/13 14:05
		(EPO; JPO;	
			DERWENT;	
	4.4	//	IBM_TDB	
-	11	((semiconductor or wafer or substrate) with (tank or vessel or bath or station) with (optical adj2 sensor)) and ((gas or	USPAT; US-PGPUB;	2004/05/13 14:06
		nitrogen) with (flow\$3 or purg\$3 or discharg\$3 or vent\$3))	EPO; JPO;	
	1	, and the second of the second	DERWENT;	
			IBM_TDB	
-	6	134/113.ccls. and ((purg\$3 or vent\$3 or discharg\$3) with	USPAT;	2004/05/13 14:10
		(moisture or dew or condensat\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	40	134/113.ccls. and ((moisture or dew or condensat\$3))	USPAT;	2004/05/13 14:10
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	212	134/113.ccls. and (sens\$3 or detect\$3) and (bath or station or	USPAT;	2004/05/13 14:14
		vessel or tank)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	109	134/113.ccls. and (sens\$3 or detect\$3) with (bath or station or	USPAT;	2004/05/13 14:15
		vessel or tank)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	5	134/113.ccls. and ((optical near2 (sens\$3 or detect\$3)) with	USPAT;	2004/05/13 14:16
		(bath or station or vessel or tank))	US-PGPUB;	
			EPO; JPO; DERWENT;	
		·	IBM TDB	
-	33	(fixing adj guide) with (bath or tank or vessel or station)	USPAT;	2004/05/13 14:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	29	((semiconductor or wafer or substrate) with (bath or tank or	USPAT;	2004/05/13 14:20
		vessel or station) with (optical near2 (sens\$3 or detect\$3)))	US-PGPUB;	
		and (gas or nitrogen or N2)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	107	(semiconductor or wafer or substrate) with (bath or tank or	USPAT;	2004/05/13 15:06
		vessel or station) with (optical near2 (sens\$3 or detect\$3))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	5	((semiconductor or wafer or substrate) with (bath or tank or	USPAT;	2004/05/13 14:57
		vessel or station) with (optical near2 (sens\$3 or detect\$3)))	US-PGPUB;	
		and 134/\$.ccls.	EPO; JPO; DERWENT;	
			IBM_TDB	
-	3	((semiconductor or wafer or substrate) with (bath or tank or	USPAT;	2004/05/13 15:13
		vessel or station) with (optical near2 (sens\$3 or detect\$3)))	US-PGPUB;	
		and 451/\$.ccls.	EPO; JPO; DERWENT;	
			IBM_TDB	

-	65	134/104.1.ccls. and (purg\$3 or vent\$3 or discharg\$3) and (sens\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO;	2004/05/13 15:10
			DERWENT;	
	4	(wet adj clean adj (station or tank or vessel)) and (optical adj2	IBM_TDB USPAT;	2004/05/13 15:12
	7	(sens\$3 or detect\$3))	US-PGPUB;	2004/05/15 15.12
			EPO; JPO;	
			DERWENT; IBM TDB	
-	8	(wet adj clean adj (station or tank or vessel)) and ((sens\$3 or	USPAT;	2004/05/13 15:16
	\	detect\$3))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2	((semiconductor or wafer or substrate) with (bath or tank or	USPAT;	2004/05/13 15:13
		vessel or station) with (optical near2 (sens\$3 or detect\$3))) and 438/\$.ccls.	US-PGPUB; EPO; JPO;	
		απα 400/φ.σσιο.	DERWENT;	
	40	And the At the	IBM_TDB	
- '	12	wet adj clean adj station	USPAT; US-PGPUB;	2004/05/13 15:16
			EPO; JPO;	
			DERWENT;	
_	8	(wet adj clean adj station) and (sens\$3 or detect\$3)	IBM_TDB USPAT;	2004/05/13 15:24
		(maranj and maraj etation) and (context of detective)	US-PGPUB;	2004/03/13 13:24
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	82	68/\$.ccls. and (turbid\$3 near2 (sens\$3 or detect\$3))	USPAT;	2004/05/13 15:39
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	200	0040 00 1-	IBM_TDB	
	229	68/12.02.ccls.	USPAT; US-PGPUB;	2004/05/13 15:26
			EPO; JPO;	
			DERWENT;	
_	60	68/12.02.ccls. and ((turbid\$3 or optical) with (detect\$3 or	IBM_TDB USPAT;	2004/05/13 15:26
		sens\$3))	US-PGPUB;	200 17007 10 10.20
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	22	(68/\$.ccls. and (turbid\$3 near2 (sens\$3 or detect\$3))) and	USPAT;	2004/05/13 15:41
		((purg\$3 or vent\$3 or discharg\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
	265	(ontion) poor? (conot?) or detect?) / (/	IBM_TDB	0004/05/10 15 15
-	265	(optical near2 (sens\$3 or detect\$3) and ((purg\$3 or vent\$3 or discharg\$3 or remov\$3) with (condensat\$3)))	USPAT; US-PGPUB;	2004/05/13 15:43
		(20.00.00.00.00.00.00.00.00.00.00.00.00.0	EPO; JPO;	
			DERWENT;	
-	265	((optical near2 (sens\$3 or detect\$3)) and ((purg\$3 or vent\$3 or	IBM_TDB USPAT;	2004/05/13 15:43
		discharg\$3 or remov\$3) with (condensat\$3)))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	47	((optical near2 (sens\$3 or detect\$3)) same ((purg\$3 or vent\$3 or discharg\$3 or remov\$3) with (condensat\$3)))	USPAT;	2004/05/13 15:43
		ा पाउटाग्वापुक्उ ण Temovक्उ) with (condensatक्उ)))	US-PGPUB; EPO; JPO;	
	'		DERWENT;	
			IBM_TDB	